

TREE PROTECTION PLAN

Abbey Way, Willesborough

BDB Design

15/00260/AS

24.3.15



Notes:

This plan is generally based on the requirements as set out in the revised British Standard BS5837:2012.







The original of this drawing was produced in colour - a monochrome or black & white copy should not be relied upon.

This drawing should be used to ensure that adequate protection of all tree stems, RPAs and canopies is provided during any proposed demolition and construction activities.

Under the Construction (Design & Management) Regulations 2007 all design-based construction has to be assessed to ensure risks are managed. The design of the Tree Protection Fencing is in accordance with Figure 2 of BS5837:2012 and as such is considered not to pose any significant or unusual Health & Safety risks provided all tree protection measures are installed by a suitably competent contractor.

To be read in conjunction with Lloyd Bore Tree Survey Report.

LEGEND:

-  Tree to be retained
-  Tree to be removed to permit development
-  RPA (Root Protection Area)
-  Tree Protection Fencing
-  Site Boundary
-  Method statement required

Tree Removal Schedule

Surveyed Trees		
Ref.	Species	B.S Cat.
G2	Blackthorn	C2
G9	Mixed group	C2
G12	Hawthorn and blackthorn	C2

rev. _____ rev date: 20/03/15

revision note.

drawing no. 3460_DR_002

client & project.
BDB Design
Abbey Way Willesborough

drawing title.
Tree Protection Plan

status: **Planning**
 scale: **1:500** drawn by: **CB**
 sheet: **A1** checked by:

lloyd bore

33 ST GEORGE'S PLACE
 CANTERBURY
 KENT CT1 1UT

t: 01227 464 340
 e: mail@lloyd bore.co.uk
 w: www.lloyd bore.co.uk

GENERAL NOTES

ROOT PROTECTION AREAS (RPAs) BS5837: 2012 recommends that an area around each retained tree should be protected from disturbance and damage to tree roots by ensuring the prevention of compaction and contamination of the rooting environment. RPAs are calculated for all category A, B and C grade trees in accordance with the recommendation of the Standard and are shown as dotted lines. RPAs are initially calculated and shown unadjusted as a concentric circle centred on the trunk of each tree; but where there appears to be significant obstructions to root growth both natural and manmade they can be adjusted and where applicable reshaped to show more accurately the likely distribution of roots.

